	Hits	Search Text	DBs
1	7	mattsson-ulf.in.	US-PGPUB; USPAT; EPO; DERWENT
2	2	("5446575" | "5542078").PN.	USPAT
3	114	"5542078".URPN.	USPAT
4	0	"6321201".URPN.	USPAT
5	16	("5369702" | "5459860" | "5659614" | "5661799" | "5680452" | "5699428" | "5717755" | "5757908" | "5768276" | "5898781" | "5915017" | "5915025" | "5917915" | "5933498" | "5940507" | "6098172").PN.	USPAT
6	13	("5274807" | "5276867" | "5278978" | "5339419" | "5402474" | "5416917" | "5519869" | "5701183" | "5706457" | "5875478" | "5937411" | "6009442" | "6088717").PN.	USPAT
7	33	(("data type" near3 (preserv$5 or maintain$3 or "same")) same (encrypt$3 or encod$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	15	"4645916".URPN.	USPAT
9	30	("3624615" | "3653000" | "3727190" | "3753245" | "3778774" | "3790754" | "3829844" | "3831006" | "3839708" | "3848112" | "3869700" | "3918047" | "3970996" | "3996450" | "4013894" | "4055746" | "4085446" | "4108362" | "4130881" | "4164320" | "4177456" | "4181251" | "4219151" | "4242730" | "4268744" | "4304990" | "4340810" | "4357529" | "4358672" | "4359630").PN.	USPAT
10	5	("4974191" | "5065429" | "5191611" | "5367573" | "5659614").PN.	USPAT
11	6	"5963642".URPN.	USPAT

	Hits	Search Text	DBs
12	12	database near5 (cryptograph$2 or encrypt$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	3	("5737419" | "5924094" | "6185685").PN.	USPAT
14	0	"6327595".URPN.	USPAT
15	2	(707/100-104.1.ccls. and ("data type" near3 (preserv$5 or maintain$3 or "same"))) and (database near5 (cryptograph$2 or encrypt$3))	US-PGPUB; USPAT
16	17	database with (cryptograph$2 or encrypt$3) same ("data type" or "character set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	10	database and "data type" same ("basic encoding rules" or ber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	21	707/100-104.1.ccls. and "data type" and (encryptA$3 or cryptography)	US-PGPUB; USPAT
19	27	713/193.ccls. and database and "data type"	US-PGPUB; USPAT
20	2	("data type" near3 (preserv$5 or maintain$3 or "same")) same (database with encrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	12	("data type" near3 (preserv$5 or maintain$3 or "same")) and (database near5 encrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" same "character set")	US-PGPUB; USPAT
23	23	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" or "character set")	US-PGPUB; USPAT

	Hits	Search Text	DBs
24	2	341/90.ccls. and (database with (encrypt$3 or encod$3 or cryptography))	US-PGPUB; USPAT
25	21	713/167.ccls. and (database same (encrypt$3 or cryptography))	US-PGPUB; USPAT
26	1	("6336121").PN.	USPAT; USOCR
27	2	707/101,103R,104.1.ccls. and "data type" with "character set"	US-PGPUB; USPAT
28	31	707/101,103R,104.1.ccls. and (database same ("data type" with (allow$2 or restrict$3) near "5" "character set"))	US-PGPUB; USPAT
29	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow$2 or restrict$3) near "5" "character set")))	US-PGPUB; USPAT
30	5	"5835912".URPN.	USPAT
31	7	("4566078" | "5148541" | "5428772" | "5442782" | "5497319" | "5523946" | "5678039").PN.	USPAT
32	79	database and ("data type" same ((restrict$3 or allow$3 or $defined) near3 character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	32	380/267.ccls.	US-PGPUB; USPAT
34	8	"5515437".URPN.	USPAT
35	1	"5333197".URPN.	USPAT
36	3	"4627074".URPN.	USPAT
37	1	"4262359".URPN.	USPAT
38	8	"3670104".URPN.	USPAT
39	4	database and (encrypt$3 same "datatype")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
40	156	encrypt$3 with "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	179	(database and (encrypt$3 same "data type")) not (encrypt$3 with "data type")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	17	("4993069" | "5440633" | "5511122" | "5517622" | "5524052" | "5577209" | "5640456" | "5673322" | "5689565" | "5699513" | "5845281" | "5892899" | "6044468" | "6173404" | "6175925" | "6178509" | "6205550").PN.	USPAT
43	0	"6324646".URPN.	USPAT
44	17	("4993069" | "5440633" | "5511122" | "5517622" | "5524052" | "5577209" | "5640456" | "5673322" | "5689565" | "5699513" | "5845281" | "5892899" | "6044468" | "6173404" | "6175925" | "6178509" | "6205550").PN.	USPAT
45	7	database same ((pre$1defined or restrict$3 or allow$3) near3 "character set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	134	(key near5 (initial$7 adj (vector or value))) same encrypt$3	USPAT
47	8	mattsson-ulf.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
48	2	("5446575" | "5542078").PN.	USPAT
49	115	"5542078".URPN.	USPAT
50	0	"6321201".URPN.	USPAT

	Hits	Search Text	DBs
51	16	("5369702" | "5459860" | "5659614" | "5661799" | "5680452" | "5699428" | "5717755" | "5757908" | "5768276" | "5898781" | "5915017" | "5915025" | "5917915" | "5933498" | "5940507" | "6098172").PN.	USPAT
52	13	("5274807" | "5276867" | "5278978" | "5339419" | "5402474" | "5416917" | "5519869" | "5701183" | "5706457" | "5875478" | "5937411" | "6009442" | "6088717").PN.	USPAT
53	13	(("data type" near3 (preserv$5 or maintain$3 or "same" or support$3)) same encrypt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	10	("4916738" | "5126728" | "5440723" | "5452442" | "5485575" | "5572590" | "5613002" | "5701342" | "5832212" | "5960080").PN.	US-PGPUB; USPAT; USOCR
55	17	"4645916".URPN.	USPAT
56	30	("3624615" | "3653000" | "3727190" | "3753245" | "3778774" | "3790754" | "3829844" | "3831006" | "3839708" | "3848112" | "3869700" | "3918047" | "3970996" | "3996450" | "4013894" | "4055746" | "4085446" | "4108362" | "4130881" | "4164320" | "4177456" | "4181251" | "4219151" | "4242730" | "4268744" | "4304990" | "4340810" | "4357529" | "4358672" | "4359630").PN.	USPAT
57	5	("4974191" | "5065429" | "5191611" | "5367573" | "5659614").PN.	USPAT
58	7	"5963642".URPN.	USPAT
59	12	database near5 (cryptograph$2 or encrypt$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
60	3	("5737419" | "5924094" | "6185685").PN.	USPAT
61	0	"6327595".URPN.	USPAT
62	2	(707/100-104.1.ccls. and ("data type" near3 (preserv$5 or maintain$3 or "same" or support$3))) and (database near5 (cryptograph$2 or encrypt$3))	US-PGPUB; USPAT
63	20	database with (cryptograph$2 or encrypt$3) same ("data type" or "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	25	707/100-104.1.ccls. and "data type" and (encryptA$3 or cryptography)	US-PGPUB; USPAT
65	47	713/193.ccls. and database and "data type"	US-PGPUB; USPAT
66	0	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" same "character set")	US-PGPUB; USPAT
67	42	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" or "character set")	US-PGPUB; USPAT
68	2	341/90.ccls. and (database with (encrypt$3 or encod$3 or cryptography))	US-PGPUB; USPAT
69	31	713/167.ccls. and (database same (encrypt$3 or cryptography))	US-PGPUB; USPAT
70	2	707/101,103R,104.1.ccls. and "data type" with "character set"	US-PGPUB; USPAT
71	33	707/101,103R,104.1.ccls. and (database same ("data type" with (allow$2 or restrict$3) near "5" "character set"))	US-PGPUB; USPAT
72	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow$2 or restrict$3) near "5" "character set")))	US-PGPUB; USPAT

	Hits	Search Text	DBs
73	96	database and ("data type" same ((restrict$3 or allow$3 or $defined) near3 character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	33	380/267.ccls.	US-PGPUB; USPAT
75	4	database and (encrypt$3 same "datatype")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	198	encrypt$3 with "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	9	database same ((pre$1defined or restrict$3 or allow$3) near3 "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	156	(key near5 (initial$7 adj (vector or value))) same encrypt$3	USPAT